



Color: white Similar to illustration

Technical data		
Suitable		for Weidmüller's rail-mount terminal blocks; replaces WS 10/5 marker
Marking method		Thermal transfer
Marking		plain
Delivery form		Roll
Delivery form configuration		1,200 WMB markers (5 mm)/reel
Properties		for Weidmüller rail-mount terminal blocks; replaces WS 10/5 marker
Flammability class per UL94		V2
Printing device		Smart Printer (thermal transfer printer)

Physical data		
Marker/strip width		5 ... 5.2 mm
Marker width		5 mm

Mechanical data		
Smear resistance		in conjunction with 258-5005 Ink Ribbon

Material data		
Color		white
UV resistance		EN 60068-2-5:2010 Procedure B
Halogen-free		Yes
Weight		114.7 g
Fire load		2.34 MJ



Commercial data	
Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-37
eCl@ss 9.0	27-14-11-37
ETIM 8.0	EC000761
ETIM 7.0	EC000761
PU (SPU)	1 pcs
Packaging type	Bag
Country of origin	DE
GTIN	4050821659662
Customs tariff number	39269097900

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Approvals / Certificates

Declarations of conformity and manufacturer's declarations



Approval	Standard	Certificate Name
Railway WAGO GmbH & Co. KG	-	Railway Ready

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 2009-615	↓

Documentation

Additional Information				Operating Instructions			
Allocation roller printing material	001.12.2016 10.09.2020	pdf 139.96 KB	↓	2009-615 Information on printing material	1 28.08.2020	pdf 1316.42 KB	↓

CAD/CAE-Data

CAD data	
2D/3D Models 2009-615	↓

1 Compatible Products

1.1 Optional Accessories

1.1.1 Marking

1.1.1.1 Accessories for marking devices



Item No.: 258-5010
Roller; for Smart Printer; for WMB-Inline Weidmüller (2009-615); 1 grinding device

1.1.1.2 Marking device




Item No.: 258-5000
Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking material

Installation Notes

Application



Separating an individual marker from the WMB marker strip – for larger terminal blocks.



Snapping a marking strip into the marker slot.

Marking



Snapping a WMB marker strip into the marker slot of the double marker carrier.



Snapping a marking strip into the marker slot.