

Veri sayfası | Ürün numarası: 2016-499

Düşürücü köprü; 2016/2010'dan 2010/2006/2004/2002 'ye seriler; 2216/2210'dan 2210/2206/2204/2202 'ye seriler; yalıtımlı; açık gri

<https://www.wago.com/2016-499>



Renk: ■ açık gri

Elektrik Verisi

Ratings per IEC/EN

Nominal akım 57 A

Geometrical Data

Kademeli köprü genişliği 1-2

Material Data

Note (material data)

[Information on material specifications can be found here](#)

Renk	açık gri
Malzeme grubu	I
İzolasyon malzemesi	Poliamid 66 (PA 66)
UL 94'e göre tutuşabilirlik değeri	V0
Yangın yükü	0.016 MJ
Ağırlık	3.3 g

Ticari Veri

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
Pack. unit	25 Adet
SAP'den ambalaj tipi	Bag
SAP tesis 01'den menşei	DE
GTIN	4055143702461
SAP tesis 01'den gümrük tarifiesi no.	85366990990

Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

Onaylar / Sertifikalar

Declarations of conformity and manufacturer's declarations



Onay	Standart	Sertifika adı
Railway WAGO GmbH & Co. KG	-	Railway Ready

Dosya İndirme

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance 2016-499

Documentation

Bid Text

2016-499	19.02.2019	xml 2.55 KB	
2016-499	28.04.2017	doc 23.50 KB	


CAD/CAE-Data

CAD data


2D/3D Models
2016-499

CAE data


EPLAN Data Portal
2016-499WSCAD Universe
2016-499ZUKEN Portal
2016-499

Montaj notları**Birbirine bağlama**


Step-down jumpers common terminal blocks of different sizes, without losing a conductor clamping point. This can be beneficial on long conductor runs where voltage drop can be a problem. A large conductor can be easily connected to smaller conductors at the distribution point. Commoning may be made in either direction using the special thin end plate to cover the open side. Additional through terminal blocks having a smaller cross-section may be commoned using push-in type jumper bars.

Birbirine bağlama

Using step-down jumpers, an end plate must be inserted between the terminal blocks to be commoned.

Birbirine bağlama

Commoning with step-down jumpers.

Birbirine bağlama

Step-down jumper (2016-499) commons 16/10 mm² (16/8 AWG) terminal blocks (2016/2010 Series) with 10/6/4/2.5 mm² (8/10/12/14 AWG) terminal blocks (2010/2006/2004/2002 Series).