

Data Sheet | Item Number: 210-719

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft

<https://www.wago.com/210-719>



Technical data

| | |
|--------------------|----------|
| Number of spacings | 1 -times |
|--------------------|----------|

Physical data

| | |
|--------|--------|
| Length | 175 mm |
|--------|--------|

Material data

| | |
|-----------|------|
| Fire load | 0 MJ |
| Weight | 26 g |

Commercial data

| | |
|-----------------------|--------------------------------|
| Product Group | 2 (Terminal Block Accessories) |
| eCl@ss 10.0 | 21-04-04-07 |
| eCl@ss 9.0 | 21-04-04-07 |
| ETIM 8.0 | EC000158 |
| ETIM 7.0 | EC000158 |
| PU (SPU) | 50 (1) pcs |
| Packaging type | Bag |
| Country of origin | DE |
| GTIN | 4045454937386 |
| Customs tariff number | 82055980000 |

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Downloads

Environmental Product Compliance



Compliance Search

Environmental Product
Compliance 210-719



Documentation

Bid Text

| | | | |
|---------|------------|-----------------|---|
| 210-719 | 19.02.2019 | xml 2.65 KB |  |
| 210-719 | 04.01.2018 | doc 23.00 KB |  |


CAD/CAE-Data

CAE data


EPLAN Data Portal
210-719



Installation Notes



Inserting conductor via (2.5 x 0.4) mm
screwdriver – CAGE CLAMP® actuation
perpendicular to conductor entry.



The blade dimensions of the above-listed
operating tools with a partially insulated
shaft are ideal for easy operation of front-
entry terminal blocks.