



Color: ■ gray

Physical data	
Width	8 mm / 0.315 inches
Height	3.89 mm / 0.153 inches
Jumper assignment	1-2

Material data	
Note (material data)	Information on material specifications can be found here
Color	gray
Fire load	0.004 MJ
Weight	0.7 g

Commercial data	
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	200 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4044918610346
Customs tariff number	85366990990

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption



Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 279-482

Download icon

Documentation				
Bid Text				
279-482	19.02.2019	xml	2.54 KB	Download icon
279-482	27.04.2017	doc	23.50 KB	Download icon


CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 279-482	WSCAD Universe 279-482
Download icon	Download icon
	ZUKEN Portal 279-482
	Download icon

1 Compatible Products
1.1 Optional Accessories
1.1.1 Tool
1.1.1.1 Operating tool



Item No.: 279-432
Operating tool; made of insulating material; 2-way


Installation Notes
Commoning




Commoning using comb-style jumper bars.
Push comb-style jumper bars down until fully inserted.

Commoning

4-conductor through terminal blocks,
angled type,
formation of groups with 3-way, comb-style
jumper bars

Commoning

Carrier terminal blocks with component
plugs,
alternate comb-style jumper bars,
3-way comb-style jumper bar

Commoning

Commoning front-entry disconnect terminal
blocks via comb-style jumper bar
using a 10-pole operating tool