



Color: ☐ transparent

WAGO's 750-106 and 750-107 Marker Carriers allow I/O functions to be identified throughout the node via continuous marking strips. Both carrier models permit continuous marking regardless of the I/O module housing used.

- 750-106, for I/O module housing with up to 4 LEDs, as well as for 48 mm I/O module housing
- 750-107, for I/O module housing with 8 or 16 LEDs
- The marker carrier can be accommodated in the upper Mini-WSB marker slot. It is not necessary to use a carrier on each I/O module to mount the marking strip.

Technical data		
Suitable		for I/O module housing with 8 or 16 LEDs

Material data	
Color	transparent
Weight	0.5 g
Fire load	0.014 MJ

Commercial data	
Product Group	15 (I/O System)
eCl@ss 10.0	27-14-40-75
eCl@ss 9.0	27-37-12-29
ETIM 8.0	EC002248
ETIM 7.0	EC002248
PU (SPU)	50 (10) pcs
Packaging type	Box
Country of origin	DE
GTIN	4050821608691
Customs tariff number	39269097900



Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Downloads	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 750-107	↓

CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 750-107	EPLAN Data Portal 750-107 ↓
	WSCAD Universe 750-107 ↓
	ZUKEN Portal 750-107 ↓

1 Compatible Products
1.1 Required Accessories
1.1.1 Marking
1.1.1.1 Marker



Item No.: 2009-115
WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white

1.1.1.2 Marking strip
Item No.: 2009-110 Marking strips; for Smart Printer; on reel; not stretchable; plain; snap-on type; white

Installation Notes
Application



